CITY COUNCIL MINUTES - Draft

April 13, 2015

h) Standard Purchasing Resolution 2: Award to Low Bidder Meeting Specifications – Major Street Pavement Marking

Resolution #2015-04-051-J-4h

RESOLVED, That Troy City Council hereby **AWARDS** a two (2) year contract with the option to renew for one (1) additional year to the low bidder meeting specifications (Local Preference applied); *PK Contracting, Inc. of Troy, MI* to provide Major Street Pavement Marking Services on an as needed basis and at unit prices as detailed in the bid tabulation opened March 26, 2015, a copy of which shall be **ATTACHED** to the original Minutes of this meeting and as detailed below by year; with the contract expiring June 30, 2018.

2 Yr. Contract	Amount
1	\$271,247.80
2	\$272,373.00
Total 2 Yr. Contract	\$543,620.80
1 Year Renewal	\$272,373.00

BE IT FURTHER RESOLVED, That the award is **CONTINGENT** upon the contractor's submission of properly executed bid and contract documents, including bonds, insurance certificates and all other specified requirements.

2 [6/30/2016 2 [6/30/2017 1 [6/30/2018

CITY OF TROY Streets 4693 ROCHESTER ROAD TROY, MI 48085

CITY OF TROY Streets

BLANKET ORDER

4693 ROCHESTER ROAD TROY, MI 48085

No. 2015-00001930 **DATE**: 04/21/2015 **PAGE:** 1 of 1 **FOB DESTINATION**

EXPIRATION DATE 06/30/2017 **COUNCIL RESOLUTION** 2015-04-051-J-4h

VENDOR NO. 101837

P K CONTRACTING INC. 1965 BARRETT TROY, MI 48084

	QUANTITIES ARE ESTIMATED AND WILL BE ORDERED AS				
		DESCRIPTION		STATE OF THE PERSON NAMED IN COLUMN 1	
QUANTITY 1	UNIT	PAVEMENT MARKING FURNISH TWO-YEAR REQUIREMENTS OF MAJOR STREET PAVEMENT MARKING. NTE \$160,000.00 total cost over two (2) years for all items. COMPLETION: By June 30th of each year. PAYMENT TERMS: Net 30. All work performed in accordance with the attached price sheet and your bid proposal approved by City Council on Monday, April 13, 2015.	UNIT COST 160,000.0000	- Control of the Cont	
Special Instruct	ions:	Entered By: Enna Bachelor		\$160,000.00	

INSURANCE AND BONDS REQUIRED PRIOR TO COMMENCEMENT OF ANY WORK RELATED TO THIS CONTRACT. Quantities are estimated and PK Contracting will only be paid for the work completed which may be more or less than the quantities shown. Contract to furnish two (2) year requirements of Major Street Pavement Marking with an option to renew for one(1) additional year in accordance with the specifications of ITB-COT 15-08 at prices stated

TERMS & CONDITIONS

Purchases of Municipalities are exempt from State Sales and Federal Excise Taxes.

Prior to acceptance, vendor agrees to provide City with information under the Right-to-Know Law, P.A. 1986, No. 80, and fully comply with all terms and conditions of the Michigan Occupational Safety and Health Act, MCL 408,1001, et seq. including vendor shall provide City with an "MSDS". Vendor also agrees to be responsible for all required labeling.

3. In cases of emergency/disaster, the City can purchase up to six(6) times the order amount for a period of six(6) months at the price contained in the contract.

Purchase Orders are signed electronically based upon computer generated "on-line" authorized approvals. Authentic signatures are on file in the City of Troy Purchasing Department.

CE: The City could put the vendor on notice that vendors will be held financially responsible for any claims or awards made against the City as a result of the vendor's action. If the City has to defend the initial lawsuit, the City will bring in the vendor as a codefendant or sue the vendor, either as the result of settling a claim or the conclusion of the lawsuit.

I HEREBY CERTIFY THAT THIS ORDER IS PROPERLY AUTHORIZED AND APPROVED.

mad Back for

CITY OF TROY BID TABULATION STREET PAVEMENT MARKINGS

ITB-COT 15-08
Page 1 of 4

Estimated \$ 90,680.00

Estimated \$ 78,390.00

VENDOR NAME:

Check Number Check Amount

	R. S. Contracting, Inc.	P. K. Contracting, Inc.
	Casco Township, MI	Troy, MI
L	#2010410131	#1612700879
\$	4,000.00	\$ 4,000.00

		Check Amount	\$			4,000.00	\$	<u>π1012</u>	7000	4,000.00
PRO	PROPOSAL-Two-Year Requirements of Major Street Pavement Marking with an Option to Renew for One Additional Year									
	-				•					idi Todi
	M EST QTY			Year 1	ı	'ear 2		Year 1	1	Year 2
#	Lineal Fee		į U	nit Price	Un	it Price	l	Unit Price	Į t	Init Price
	OPOSAL A	Purchase of Thermoplastic Extrude								
1	2,000	Thermoplastic Extrude - Alkyd White	\$	40.000	\$	40.000	\$	40.000	\$	40.000
2	1,000	Thermoplastic Extrude - Alkyd Yellow	\$	40.000	\$	40.000	\$	35.000	\$	35.000
		ESTIMATED TOTAL OF PROPOSAL A:	\$ 17	20,000.00		0,000.00	\$ 1	115,000.00		15,000.00
		PROPOSAL A -GRAND TOTAL- 2 YEARS		Estimated		0,000.00		Estimated	\$2	
DDC	DOOAL D	Between February M. 11		Year 1		ear 2		Year 1		Year 2
PRU	POSAL B	Retrace Existing Markings		nit Price		it Price		Unit Price	_	nit Price
1	173,800	4" Solid White	\$	0.128	\$	0.13	-	0.127	\$	0.13
2		4" Skip White	\$	0.128	\$	0.13	\$	0,127	_\$	0.13
3		4" Solid Yellow	\$	0.128	\$	0.13	\$	0,127	\$.	0.13
4 5	33,000 1,000	4" Skip Yellow	\$	0.128	\$	0.13	\$	0.127	\$	0.13
3	1,000	4" yellow and/or white	\$	1.000	\$	1.000	\$	0.50	\$	0.50
		ESTIMATED TOTAL OF PROPOSAL B:		70,452.80		1,538.00	\$	69,410.20	_	71,038.00
		PROPOSAL B -GRAND TOTAL- 2 YEARS		Estimated		1,990.80		Estimated		10,448.20
		Marking New Pavement - Sprayable		Year 1	Y	ear 2		Year 1		Year 2
PRO	POSAL C	<u>Thermoplastic</u>	υ	nit Price	Un	it Price	ι	Jnit Price	υ	nit Price
1	500	4" Solid white	\$	0.23	\$	0.25	\$	0.35	\$	0.35
2	500	4" Skip white	\$	0.23	\$		\$	0.35	\$	0.35
3		4" solid yellow	\$	0.23	\$	0.25	\$	0.35	\$	0.35
4	500	4" skip yellow	\$	0.23	\$	0.25	\$	0.35	\$	0.35
		ESTIMATED TOTAL OF PROPOSAL C:	\$	460.00	\$	500.00	\$	700.00	\$	700.00
		PROPOSAL C -GRAND TOTAL- 2 YEARS		Estimated	\$	960.00		Estimated		1,400.00
			,	Year 1	Y	ear 2		Year 1	_	Year 2
PRO	POSAL D	Pavement Marking Legend - Removal	U	nit Price	Un	it Price	Įι	Jnit Price		nit Price
1	2 ea	School Legend	\$	40.00	\$	40.00	\$	40.00	\$	40.00
2		Only Legend	\$	28.00	\$	28.00	\$	30.00	\$	30.00
3	35 ea	Right Arrow & Left Arrow	\$	20.00	\$	20.00	\$	25.00	\$	25.00
4		Straight Left turn or Right turn	\$	30.00	\$	30.00	\$	30.00	\$	30.00
5		Stop bars (Local Rd.) - 12"	\$	1.00	_	1.00	\$	1.25	\$	1.25
6		Stop bars (Major Rd.) - 24"	\$	2.00	\$	2.00	\$	2.50	\$	2.50
7		Cross walk (Major Rd.) -24"	\$	2.00	\$	2.00	\$		\$	2.50
8	5,000 L.F.	Curing Compound Removal	\$	0.50	\$		\$		\$	1.00
		ESTIMATED TOTAL OF PROPOSAL D:	\$	6,080.00		6,080.00	\$	9,265.00	\$	9,265.00
		PROPOSAL D -GRAND TOTAL- 2 YEARS		Estimated		2,160.00		Estimated	\$ 1	8,530.00
				Year 1		ear 2		Year 1	,	Year 2
		Pavement Marking Tape - 3M Stamark	U	nit Price	Un	it Price	Ų	Jnit Price	Uı	nit Price
1		School Legend		190.00	_	190.00		175.00		175.00
2		Only Legend		95.00		95.00		100.00		100.00
3		Right Arrow & Left Arrow	<u> </u>	90.00		90.00		90.00		90.00
4		Straight Left turn or Right turn		150.00		150.00		150.00		150.00
5		Stop bars (Local Rd.) - 12"		4.00		4.00		4.00		4.00
6		Stop bars (Major Rd.) - 24"		8.00		8.00		8.00		8.00
7		Cross walk (Major Rd.) -24"		8.00		8.00		8.00		8.00
8		Sharrow	A 5	125.00	Φ Δ-	125.00		155.00		155.00
		ESTIMATED TOTAL OF PROPOSAL E:	\$ 3	39,195.00	\$ 39	3,195.00	\$	45,340.00	\$ 4	5,340.00

PROPOSAL E -GRAND TOTAL- 2 YEARS

VENDOR NAME:	R. S. Conti	racting, Inc.	P. K. Contracting, Inc.		
Item Est Qty	Year 1	Year 2	V		
# Lineal Ft DESCRIPTION	Unit Price	Unit Price	Year 1	Year 2	
PROPOSAL F Recessed Urethane - per MDOT Specifications		Offit Frice	Unit Price	Unit Price	
1 2 ea School Legend	160.00	160.00	455.00		
2 35 ea Only Legend	95.00				
3 35 ea Right Arrow & Left Arrow	85.00	95.00			
4 2 ea Straight Left turn or Right turn		85.00			
5 200 L.F. Stop bars (Local Rd.) - 12"	140.00				
6 330 L.F. Stop bars (Major Rd.) - 24"	3.50				
7 450 L.F. Cross walk (Major Rd.) -24"	7.00				
8 200 ea Sharrow	7.00	7.00		6.90	
	90.00	90.00			
ESTIMATED TOTAL OF PROPOSAL E:	\$ 31,060.000	\$31,060.000	\$41,962.000	\$41,962.000	
PROPOSAL F -GRAND TOTAL- 2 YEARS	Estimated			\$ 83,924.00	
ITEM EST CTY	Year 1	Year 2	Year 1	Year 2	
# Lineal Feet DESCRIPTION	Unit Price	Unit Price	Unit Price	Unit Price	
PROPOSAL G 03T811 (A10) // 03T811 (A90)					
1 1000 Recessing Payement Marking	\$ 1.00	\$ 1.00	\$ 1.00	\$ 1.00	
2 1000 Primerless Patterned 4" Tape	\$ 3.00	\$ 3.00	\$ 2.00	\$ 2.00	
ESTIMATED TOTAL OF PROPOSAL G:	\$ 4,000.00	\$ 4,000.00	\$ 3,000.00		
PROPOSAL G -GRAND TOTAL- 2 YEARS	Estimated		Estimated	,,,,,,,,,	
			Louinatod	Ψ 0,000.00	
GRAND TOTALS OF ESTIMATED A - G	\$ 271,247.80	\$272,373.00	\$ 284,677.20	\$286,305.00	
PROPOSAL A TO G -GRAND TOTAL- 2 YEARS		\$543,620.80		\$570,982.20	
PROGRESS PAYMENTS:	bla	nk	per contract unit	prices net 30	
COMPLETION SCHEDULE:				t prices, rict oc	
Can Meet	X		X		
Cannot Meet - but offers					
CONTACT INFORMATION Hr of Operations	bla	nk	24 hours	/7 days	
24 Hr Phone No.	810-217	7-1659	248-362		
YEARS OF EXPERIENCE:	bla		35		
LIST OF EQUIPMENT Yes or No	Ye		Ye		
PREQUALIFICATION REQUIREMENTS:					
MDOT Classification:	N-	3	see atta	ached	
Company Numerical Rating:	112		blar		
INSURANCE:			Diai	ik	
Can Meet	X		X	ľ	
Cannot Meet			^		
PAYMENT TERMS:	N/3	30	Net:	30	
WARRANTY:	blar		Manufa		
EXCEPTIONS:	blar		N/A		
ACKNOWLEDGEMENT: Signed Y or N	Ye				
FORMS: Attached - Y or N	Ye		Yes		
Autoriou - Lot M	10		Yes	<u>s</u> .	

HIGHLIGHTED AREA DENOTES LOCAL PREFERENCE BIDDER

ATTEST:

Enna Bachelor

Sara Teets

Susan Riesterer

MaryBeth Murz,

Purchasing Manager



March 30, 2015

500 W. Big Beaver. Troy, MI 48084 248.524.3300 troymi.gov

Mr. Aden Shea P.K Contracting 1965 Barrett Drive Troy Mi 48084

Re: ITB-COT 15-08 LOCAL PREFERENCE

Dear Mr. Shea:

ITB-COT 15-08, Street Pavement Markings, Bid Proposal Section, Page 8 of 10, states:

The City of Troy reserves the right to award a contract to a local business, one which pays City of Troy taxes (real and/or personal), if the bid of a local vendor is within 5% of the lowest responsive and responsible non-local bidder, then the local vendor is given one chance to match the low bid.

This allows the City of Troy to extend an opportunity for local Troy businesses to match the pricing of low bidders when their pricing comes within 5% of the low bidders pricing.

The pricing offered by P.K. Contractors meets this requirement. The City of Troy hereby extends an opportunity to P.K. Contracting to match the pricing of the low bidder. Please review the attached bid tabulation and return this letter via fax or email to the attention of Enna A. Bachelor, Buyer at 248.619.7608 or enna.bachelor@troymi.gov. Respond no later than 12:00 p.m. on Wednesday, April 1, 2015.

CHECK ONE:

[/] P.K. Contracting, Inc. of Troy, MI <u>will</u> match all the pricing of R.S. Contracting, Inc. of Casco Township, MI as stipulated in the attached bid tabulation without exception.								
[] P.K. Contracting, Inc. will not match the pricing of R.S. Contracting, Inc.								
Print Name: ADEN SHEA	Title: JICE PRESIDENT							
X Signature of Authorized Company Representative	Date: 3 · 3 = · 15							
Sincerely,								

Attachment

Buver

troymi.gov

500 W. Big Beaver. Troy, MI 48084

248.524.3300

Date Reviewed -- 3/26/15 VENDOR NAME: D K Contracting Inc Check Number Check Amount ITEM EST QTY Lineal Feet DESCRIPTION PROPOSAL A Purchase of Thermoplastic Extrude 1 2.000 Thermoplastic Extrude - Alkyd White 2 1,000 Thermoplastic Extrude - Alkyd Yellow **ESTIMATED TOTAL OF PROPOSAL A: PROPOSAL A -GRAND TOTAL- 2 YEARS** PROPOSAL B Retrace Existing Markings 173,800 4" Solid White 2 54,800 4" Skip White 281,000 4" Solid Yellow 3 33.000 4" Skip Yellow 4 5 1,000 4" yellow and/or white **ESTIMATED TOTAL OF PROPOSAL B:** PROPOSAL B -GRAND TOTAL- 2 YEARS Marking New Pavement - Sprayable PROPOSAL C **Thermoplastic** 500 4" Solid white 1 2 500 4" Skip white 3 500 4" solid yellow 500 4" skip yellow **ESTIMATED TOTAL OF PROPOSAL C:** PROPOSAL C -GRAND TOTAL- 2 YEARS PROPOSAL D Pavement Marking Legend - Removal 2 ea School Legend 1 2 35 ea Only Legend 3 35 ea Right Arrow & Left Arrow 4 2 ea Straight Left turn or Right turn 5 200 L.F. Stop bars (Local Rd.) - 12" 6 330 L.F. Stop bars (Major Rd.) - 24" 450 L.F. Cross walk (Major Rd.) -24" 7 5,000 L.F. Curing Compound Removal ESTIMATED TOTAL OF PROPOSAL D: PROPOSAL D -GRAND TOTAL- 2 YEARS PROPOSAL E Pavement Marking Tape - 3M Stamark 2 ea School Legend 1 2 35 ea Only Legend 3 35 ea Right Arrow & Left Arrow 2 ea Straight Left turn or Right turn 5 200 L.F. Stop bars (Local Rd.) - 12" 6 330 L.F. Stop bars (Major Rd.) - 24" 7 450 L.F. Cross walk (Major Rd.) -24" 200 ea Sharrow 8

ESTIMATED TOTAL OF PROPOSAL E: PROPOSAL E-GRAND TOTAL- 2 YEARS

P. K. Cor	ntra	cting, Inc.		
		e bid pricing		
	оу,			
	270	0879		
\$		4,000.00	\$	4,000.00
Year 1		Year 2	Year 1	Year 2
Unit Price		Unit Price	Unit Price	Unit Price
		1 cel - 1		
30000		40 000		
\$ 40,000	3	40.000		
5120 ,000,00	1 8	120,000.00		
Estimated	7		Estimated	
Year 1		Year 2	Year 1	Year 2
Unit Price		Unit Price	Unit Price	Unit Price
0.128	15	0.13		
5 0.128	5	0,13		
\$ 0,128	9	0.13		
\$ 0.128	0	0.13		
\$ 70,452.80	\$	1.000		
والتحسيج المتحسب	design -	71,538.00		
Estimated	3	141,990.80	Estimated	
Year 1		Year 2	Year 1	Year 2
Unit Price		Unit Price	11-2 D	makin .
\$ 0.23	\$	0.25	Unit Price	Unit Price
3 0.23	\$.	The second secon		
	0	0.25		
	4	0.25		
\$ 0.23 \$ 460.00	3	06		
Control of the Contro	3	500.00		
Estimated		960,807	Estimated	
Year 1		Year 2	Year 1	Year 2
Unit Price	.\$	Unit Price	Unit Price	Unit Price
\$ 40.00 \$ 28.00	S	40.90 28.00		
20.00	\$	20.00		
3 30.00	5	30.00		
\$ 1.00	\$	1.00		
\$.2,00	8	2.00		
\$ 200	4	2.00		
\$ 0.50		0.50		
\$ 6,080.00		6.080.00		
Estimated		12,169.00	Fac. 1 II	
Year 1	-2	Year 2	Estimated	
Unit Price		Unit Price	Year 1	Year 2
190 00		190.00	Unit Price	Unit Price
95.00				
90.00		95 00		
150 00		90.00 150.00		
4 00	-	4.00		
3.00		8.00		
8.00		800		
125.00	. ,	125 00		
\$ 39,195.00	\$	39 195 00		
Estimated	\$	78.390 00	Estimated	

ITB-COT 15-08 Page 4 of 4

	VENDOR NAME:	P. K. Cont	racting, Inc.		
		Local prefere	nce bid pricing		
Ite	1 1	Year 1	Year 2	Year 1	Year 2
#		Unit Price	Unit Price	Unit Price	Unit Price
	OPOSAL F Recessed Urethane - per MDOT Specificati	ons			
1	= of control regord	150.00	160.00		
2		95.00	95.00		
3		85.00	85.00	,	
4	- or or and the control of the control	140.00	140.00		
5		3.50	3.50		
6	(major rta.) 24	7.00	7.00		
7	100 - 11 01000 Wall (Major Pa.) -24	7.00	7.00		
8	200 ea Sharrow	90.00	90:00		
	ESTIMATED TOTAL OF PROPOSAL E:	\$31,060.000			
	PROPOSAL F -GRAND TOTAL- 2 YEARS	Estimated		Estimated	r r
ITE	M EST QTY	Year 1	Year 2	Year 1	
#	Lineal Feet DESCRIPTION	Unit Price	Unit Price	Unit Price	Year 2
PRO	POSAL G 03T811 (A10) // 03T811 (A90)	GIII THOS	Offict fice	Unit Price	Unit Price
1	1000 Recessing Pavement Marking	5 1.00	5 100		
2	1000 Primerless Patterned 4" Tape	\$ 3.00			<u> </u>
	ESTIMATED TOTAL OF PROPOSAL G:	\$ 4,000.00			
	PROPOSAL G -GRAND TOTAL- 2 YEARS				
	THO COAL C GIVARD TOTAL- 2 TEARS	Estimated	8,000.00		
	GRAND TOTALS OF ESTIMATED A - G	1 0 1 0 1 5 1 5 1 5 1 5 1 5 1 5 1 5 1 5			
	PROPOSAL A TO G -GRAND TOTAL- 2 YEARS	\$271,247.80			
	PROPOSAL A TO G -GRAND TOTAL- 2 YEARS	li li	5 543 520.80		
	PROCEEDED BY MENTO				
	PROGRESS PAYMENTS:	per contract uni	t prices, net 30		
	COMPLETION SCHEDULE:				
	Can Meet	X			
	Cannot Meet - but offers				
	CONTACT INFORMATION Hr of Operations	24 hours	days		
	24 Hr Phone No.	248-362	2-2130		
	YEARS OF EXPERIENCE:	38	5		
	LIST OF EQUIPMENT Yes or No	Ye	s		
	PREQUALIFICATION REQUIREMENTS:				
	MDOT Classification:	see atta	ached		
	Company Numerical Rating:	blar	nk		
	INSURANCE:				
	Can Meet	X			
	Cannot Meet				
	PAYMENT TERMS:	Net	30		
	WARRANTY:	Manufa			
	EXCEPTIONS:	N/A			
	ACKNOWLEDGEMENT: Signed Yor				
	FORMS: Attached - Y or				
	, 1100,100 1 0	16			

HIGHLIGHTED AREA DENOTES LOCAL PREFERENCE BIDDER



CITY OF TROY BID PROPOSAL

ITB-COT 15-08 Page 1 of 10

The undersigned proposes to furnish *TWO-YEAR REQUIREMENTS OF MAJOR STREET PAVEMENT MARKING WITH AN OPTION TO RENEW FOR ONE ADDITIONAL YEAR*, in accordance with the attached specifications, which are to be considered an integral part of the bid proposal, at the following prices:

COMPANY: P.K	CONTRACTING	INC	
--------------	-------------	-----	--

PROPOSAL A: PURCHASE OF THERMOPLASTIC EXTRUDE

ITEM	ESTIMATED QUANTITY - 50 lb. bags	DESCRIPTION	Year 1 Unit Price/ Bag	<u>015</u> Annual Total – Year 1	Year 2 Unit Price/ Bag	2016 Annual Total – Year 2
1.	2,000	Thermoplastic Extrude Alkyd White (City/County)	\$ 40,00	\$ 80,000 4	00\$ 40.00	\$ 80,000.00
2.	1,000	Thermoplastic Extrude Alkyd Yellow (City/County)	\$ 35.00	\$ 35,000,00	\$ 35.00	\$ 35,000.00
Proposal A – Estimated Total			\$ 115,000	.00	\$ 115,000.00	
PRC	POSAL A: S	prayable Thermoplastic Manufacturer: <u>SWNRCO</u>	Produ	ct #: <u>EWH_1</u>	31 EYH	132

PROPOSAL B: RETRACE EXISTING MARKINGS

•			2	<u>015</u>		2016
ITEM	ESTIMATED QUANTITY - Lineal Feet	DESCRIPTION	Year 1 Unit Price/ L.F.	Annual Total – Year 1	Year 2 Unit Price/ L.F.	Annual Total – Year 2
1.	173,800	Sprayable Thermo Plastic 4" solid white, pavement marking	\$.12.7	\$22,072.6		\$ 22, 594.00
2.	54,800	Sprayable Thermo Plastic 4" skip white, pavement marking	\$.\27	\$ 6,959.6	o\$.\3	\$ 7,124.00
3.	281,000	Sprayable Thermo Plastic 4" solid yellow, pavement marking	\$.127	\$ 35,687.0	\$.13	\$ 36,530.00
4.	33,000	Sprayable Thermo Plastic 4" skip yellow, pavement marking	\$.127	\$ 4,191.00	\$.13	\$ 4 <u>,240.</u> 00
5.	1,000	Removal of pavement marking 4" yellow and/or white	\$.50	\$ 500.00	\$.50	\$ <u>500.0</u> 0
Pro	posal B – E	Estimated Total		\$ 69,410.12	+	\$71,038.00

Bid Proposal Major Street Pavement Marking Page 2 of 10

PROPOSAL C: MARKING NEW PAVEMENT - Sprayable Thermoplastic

ITEM	ESTIMATED QUANTITY – Lineal Feet	DESCRIPTION	Year 1 Unit Price L.F.	<u>2015</u>	Annual Total – Year 1	Year 2 Unit Price/ L.F.	2016 Annual Total – Year 2
1.	500	4" solid white	\$,35		\$ 175.00	\$.35	\$ 175.00
2.	500	4" skip white	\$.35		\$ 175.00	\$.35	\$175.00
3.	500	4" solid yellow	\$ -35		\$ 175.00	\$.35	\$175.00
4.	500	4" skip yellow	\$ 35		\$ 175.00	\$.35	\$ 175.00
Pro	posal C – E	stimated Total			\$ 700.0	0	\$ 700.00

PROPOSAL D: PAVEMENT MARKING LEGEND - REMOVAL

ITEM	ESTIMATED QUANTITY -	DESCRIPTION	Year 1 Unit Price	015 Annual Total – Year 1	Year 2 Unit Price	<u>2016</u> Annual Total – Year 2
1.	2 Each	School Legend	\$40.00 /EA	\$ 80.00	\$40.00 /EA	\$ 80.00
2.	35 Each	Only Legend	\$30.00 /EA	\$1,050.00	\$ 30.00 /EA	\$ 1,050.00
3.	35 Each	Right Arrow & Left Arrow	\$ 25.00 /EA	\$ 875.00	\$ 25.00 /EA	\$ 875.00
4.	2 Each	Straight Left Turn or Right Turn	\$ 30.00 /EA	\$ 40.00	\$30:00 /EA	\$ 60.00
5.	200 LF.	Stop bars (Local Rd.) – 12"	\$1-25 /LF	\$ 250,00	\$ 1.25 /LF	\$ 250.00
6.	330 L.F.	Stop bars (Major Rd.) - 24"	\$2.50 /LF	\$ 825.00	\$ 2.50_/LF	\$ 825.00
7.	450 L.F.	Cross walk (Major Rd.) - 24"	\$2.50 /LF	\$ 1,125.00	\$2.50 /LF	\$ 1,125.00
8.	5,000 L.F.	Curing Compound Removal	\$ 1.00 /LF	\$ 5,000.00	\$ 1.00 /LF	\$ 5,000.00
Proposal D – Estimated Total				\$ 9,265.0	0	\$9,265.00

COMPANY:	P.K.	CONTRACTING	INC.
COMILIZATI.	1. 1.	COMINATIONS	1000

Bid Proposal Major Street Pavement Marking Page 3 of 10

PROPOSAL E: PAVEMENT MARKING TAPE - 3M Stamark Tape Series 270 ES or Alternate Material

		Tape Series 270 ES OF Alteri	2015		20)16
ITEM	ESTIMATED	DESCRIPTION	Year 1	Total –	Year 2	Total –
	QUANTITY -		Unit Price	Year 1	Unit Price	Year 2
1.	2 Each	School Legend	\$175.00 /EA	\$350.00	\$175.00/EA	\$ 350.00
2.	35 Each	Only Legend	\$100 00 /EA	\$3,500.00	\$ 100.00/EA	\$ 3,500.00
3.	35 Each	Right Arrow & Left Arrow	\$ 90.00 /EA	\$3,150.00	\$ 90.00/EA	\$ 3,150.00
4.	2 Each	Straight Left Turn or Right Turn	\$150.00 /EA	\$ 300,00	\$ 150.00/EA	\$ 300.00
5.	200 L.F.	Stop bars (Local Rd.) – 12"	\$ 4,00 /LF	\$ 800.00	\$ 4.00 /LF	\$ 800.00
6.	330 L.F.	Stop bars (Major Rd.) – 24"	\$9.00 /LF	\$ 2,640.00	\$ 800 /LF	\$ 2,640.00
7.	450 L.F.	Cross walk (Major Rd.) - 24"	\$ 8.00 /LF		\$ 8.00 /LF	\$ 3,600.00
8.	200 each	Sharrow	\$ 175.00 /EA		\$ +75-00 /EA	\$ 35,000.00
Proposal E – Estimated Total				45,340.0 \$ <u>49,340.</u> 1		45,340.00 \$ 49,340. 00

____ Product #: 270 ES

PROPOSAL F: RECESSED URETHANE PAVEMENT MARKING -

PROPOSAL E: Pavement Marking Tape bid Manufacturer: 3M

	<u>P</u>	<u>Per MDOT specifications</u>				
ITEM	ESTIMATED QUANTITY -	DESCRIPTION	Year 1 Unit Price	<u>015</u> Annual Total – Year 1	Year 2 Unit Price	2016 Annual Total – Year 2
1.	2 Each	School Legend	\$155,00/EA	\$ 310,00	\$155.00 /EA	\$ 310,00
2.	35 Each	Only Legend	\$ 95.00/ EA	\$3,325.00	\$ 95.00 /EA	\$ 3,325,00
3.	35 Each	Right Arrow & Left Arrow	\$ 85.00/EA	\$ 2,975.00	\$ 85.00 /EA	\$ 2,975.00
4.	2 Each	Straight Left Turn or Right Turn	\$ 140.00 /EA	\$ 280.00	\$ 140.00 /EA	\$ 280.00
5 .	200 L.F.	Stop bars (Local Rd.) – 12"	\$ 3.45 /LF	\$ 690.00	\$ 3.45 /LF	\$ 690.00
6.	330 L.F.	Stop bars (Major Rd.) – 24"	\$ 4.40 /LF	\$ 2,277.00	\$ 6.90 /LF	\$ 2,277.00
7.	450 L.F.	Cross walk (Major Rd.) - 24"	\$ 6.90 /LF		\$ 6.90 /LF	\$ 3,105.00
8.	200 each	Sharrow	\$ 155.00 /EA		\$ 145.00 /EA	\$ 29,000.00 \$ 31,000.00
Pro	oosal F – Est	imated Total		15 41,962 \$ <u>43,962</u> .0	00	15 41,462.00 \$ <u>-43,962.0</u> 0

COMPANY NAME: P. K. CONTRACTING, INC.

Bid Proposal Major Street Pavement Marking Page 4 of 10

PROPOSAL G: 03T811(A10) - RECESSING PAVEMENT MARKINGS 03T811(A90) - PRIMERLESS PATTERNED TAPE As per MDOT Traffic and Safety Special Provisions (2012)

ITEM	ESTIMATED QUANTITY - Lineal Feet	DESCRIPTION	Year 1 Unit Price/ L.F.	2015 Total – Year 1	Year 2 Unit Price/ L.F.	<u>2016</u> Total – Year 2
1.	1000	Recessing Pavement Marking	\$ 1.00	\$ 1,000.00	\$ 1.00	\$ 1,000.00
2.	1000	Primerless Patterned 4"Tape	\$ 2.00	\$ 2,000.00	\$ 2.00	\$ 2,000.00
Proposal G – Estimated Total			\$ 3,000.00		\$ 3,000.00	
ESTIMATED GRAND TOTAL –			20	15	2016	
ALL PROPOSALS - BOTH YEARS			\$ <u>284,</u>	677.12	\$ 286	305.00

NOTE: All items of work noted in the specifications that are not specifically noted in the proposal shall be considered as included in the contract and shall be completed at no extra cost to the City of Troy.

UNIT PRICES:

Unit prices prevail (cost per Lineal Foot or Per Each). The City of Troy Purchasing Department will correct all mathematical errors.

CONTRACT FORMS:

Bidders should complete the Legal Status of Bidder, Non-Collusion Affidavit, Certification regarding Debarment and the Certification regarding "Iran Linked Business" forms and return with your bid proposal.

ESTIMATED QUANTITIES:

The quantities as shown on the proposal are estimated and the same for each year. The actual work may vary from the quantities stated in the bid proposal. The successful Contractor will be paid only for the work he does at unit prices quoted which may be more or less than the quantities shown. A List is provided detailing Proposal "A" Pavement Segments and Lineal Footage.

If the successful Contractor disagrees with any measurement, he must notify Ms. Ashely Levin, the designated City Representative, for verification at (248) 524-1754. Her decision as to the exact measurement to be paid will be final.

ADDITIONAL INFORMATION:

Fcr additional general information or questions about this project, please contact Ms. **Ashely Levin**, Project Manager, at **(248) 524-1754** between the hours of **8:00 a.m. and 4:30 p.m. or** FAX QUESTIONS TO: (248) 524-3520.

AWARD:

The evaluation and award of this bid shall be a combination of factors, including but not limited to cost, professional competence, equipment, references, and the correlation of the proposal submitted to the needs of the City of Troy and any other factors considered to be in the City's best interest.

The City of Troy reserves the right to award this bid to the lowest total responsible bidder meeting specifications; to reject low bids which have major deviations from specifications; to accept a higher bid which has only minor deviations; whatever is deemed to be in the City of Troy's best interest.

COMPANY NAME: P.K. CONTRACTING, INC

Bid Proposal

Major Street Pavement Marking

Page 5 of 10

PURCHASE ORDER:

After the Troy City Council has approved the award, the City of Troy Purchasing Department will send an award letter to the successful bidder. The successful bidder once notified, will be required to submit the specified bonds and insurance. A purchase order will be issued in approximately one-week and released, once acceptable bonds and insurance are received. The purchase order issued in conjunction with the Contract Form from the City of Troy will create a bilateral contract between the parties, and the successful bidder shall commit to perform the contract in accordance with specifications.

SUBCONTRACTORS:

The undersigned agrees to submit a list of proposed subcontractors, if applicable, for approval by the designated City representative within 72 hours after notification of being the low qualified bidder. It will be understood that this may occur prior to bid award, but the bidder's status will not be final until approved by the Troy City Council.

It will be the successful bidder's responsibility to ensure that any subcontractor performing work on this project is capable of doing the work as specified. The designated City representative retains the right to evaluate the work performed by or on behalf of the successful bidder and reserves the right to reject any work performed that is not in accordance with the specifications or is considered to be shoddy or poor workmanship. Payment will not be made until the successful bidder has corrected any deficiencies found to the satisfaction of the designated City representative.

TRAFFIC CONTROL:

Traffic control must be maintained at all times. The contractor shall provide the necessary signs, barricades, traffic cones, lights, flags, and whatever necessary to protect traffic and work, as directed by the designated City representative, in accordance with specifications, "TRAFFIC MAINTENANCE".

DOWN-PAYMENTS OR PREPAYMENTS:

Any bid received which requires a down-payment or prepayment for work progress prior to delivery and acceptance of the work as being in conformance with specifications will not be considered for award.

BID DEPOSIT AND FORFEITURE:

The bid deposit of the lowest bidder shall be forfeit if, after bid opening, a change in the bid price or other provision of the bid is required by the bidder which is prejudicial to the interest of the City of Troy or fair competition.

BOND SUBMITTAL:

Subsequently, upon notice of award to the successful bidder, the Contractor shall qualify for, sign, and deliver to the City of Troy an executed Performance Bond, an executed Labor and Materials Payment Bond, and an executed two (2) year Maintenance Bond secured by a surety company, acceptable to the City of Troy by being licensed to do business in Michigan, and be included on the U. S. Treasury Department Surety List and/or have a rating of A (-) or better by A. M. Best, and/or Standard and Poors, on standard AIA forms, each in the amount of one hundred percent (100%) of the contract sum (which includes the total contract amount for the two contract years). Attorneys-in-fact, who sign Performance and Payment Bonds, must file a certified copy of their power of attorney to sign such bonds. The Contractor shall pay the cost of all bond premiums.

IMPORTANT:

The undersigned has familiarized himself with the local conditions affecting the cost of the work, and with all decuments provided herein which include the instruction to bidders, bid proposal, specifications, contract forms, and sample insurance certificate.

CONTRACT TERMINATION:

The City of Troy shall reserve the right to terminate the contract upon 30 days written notice due to poor performance. The City of Troy designated representative will be solely responsible for determining acceptable performance levels. His/her decision will be deemed in the City of Troy's best interest and will be final. The City of Troy reserves the right to re-award the contract to the next low bidder or re-bid the contract.

COMPANY NAME: P.K. CONTRACTING, INC.

Bid Proposal Major Street Pavement Marking Page 6 of 10

TERMINATION FOR CONVENIENCE:

The City may cancel the contract for its convenience, in whole or in part, by giving the contractor written notice 30 days prior to the date of cancellation. If the City chooses to cancel this contract in part, the charges payable under this contract shall be equitably adjusted to reflect those services that are cancelled.

PROGRESS PAYMENTS:

The successful bidder shall establish with the City of Troy, the procedure for payment and retainages prior to commencement of work on this project. Each bidder should attach a progress payment schedule to the bid document at the time of bid submission.

Progress payments will be approved by the designated City representative in accordance with the schedule of payments the successful bidder submits with their proposal. The City of Troy reserves the right to withhold payments for work which is incomplete, shoddy, or not as specified, or until full acceptance for the portion of work completed which is being invoiced. The decision made by the City's representative concerning acceptable workmanship will be deemed in the City's best interest. Prior to release of the final payment, consent of surety document (AIA Document G707) will be required and signed by the surety Company.

workmanship will be deemed in the City's best interest. Prior to release of the final payment, consent of surety document (AIA Document G707) will be required and signed by the surety Company.				
Proposed Payment Schedule: PER CONTRACT UNIT PRICES NET 30				
COMPLETION SCHEDULE: The contractor shall commence and complete work in accordance with specifications by June 30th of any giver year. Our company can meet this schedule Our company cannot meet this schedule but offers:				
<u>DELIVERY:</u> All materials are to be F.O.B. delivered, freight paid, to the various work sites within the City of Troy.				
CONTACT INFORMATION:				
Hours of operation: 24 Hour Phone No. 248 362 2130				
EXPERIENCE: Your Company has years of experience in Pavement Marking. (Number of Years)				
PREQUALIFICATION REQUIREMENTS: The Michigan Department of Transportation Pre-qualification Classification for this is: 80 N-3 (Pavement Marking). Prospective bidders must be pre-qualified with the Michigan Department of Transportation and must have proper classification and numerical rating required for the work on which he/she proposes to bid.				
PRE-QUALIFIED MDOT CLASSIFICATION: SEE ATTACHED				
COMPANY NUMERICAL RATING:				

COMPANY NAME: P.K. CONTRACTING No.

Bid Proposal Major Street Pavement Marking Page 7 of 10

EQUIPMENT: Please list the number and types of equipment to be used if awarded this contract. (Attach additional sheets to the bid document if necessary.)

NUMBER OF UNITS	TYPE OF EQUIPMENT	
1	THERMOPLASTIC STRIPER	
1	THERMOPLESTIC MELTER	
	THEILMOPLISTIC SUPPORT TRU	UL (750)
8	PICK OF TRUCKS (550)	
1	UPETHANE HAND MACHINE	
<u></u>		
Also, indicate the year below. If your compar of your references.	alities for which your company has complete the work was completed. At least four (4) new has done work for the City of Troy in the	nunicipalities are requested to be furnished past, it is required the City be listed as one
ADDRESS: PHONE: 248 524	3695 3409 CONTACT: JOE LIET	
COMPANY: Cory	OF SOUTH FIELD	YEAR:_2011_
	97 STIL CONTACT: DAVE WE	IZMIAK
COMPANY: CATA	d ANN ARBOR	YEAR:_2011_
	O 3958 CONTACT: Abam ASAM	
COMPANY: Mb6	T (STATE WIDE)	YEAR: 2014
	2837 CONTACT: MARY BRAN	MALE
COMPANY NAME: P.	K. CONTRACTING INC	

Bid Proposal Major Street Pavement Marking Page 8 of 10

APPROVED ALTERNATES:

The City of Troy designated City representative or her designee will review all items submitted for consideration as approved alternates. Their decision as to acceptability will be deemed in the City of Troy's best interest and will be final.

The City may elect, at the bidders expense, to require those bidders proposing an alternate product to provide additional details which may include presentations, demonstrations, samples or additional technical literature.

LOCAL PREFERENCE:

The City of Troy reserves the right to award a contract to a local business, one which pays City of Troy taxes (real and/or personal), if the bid of a local vendor is within 5% of the lowest responsive and responsible non-local bidder, then the local vendor is given one chance to match the low bid.

INSURANCE:

Insurance Requirements shall be in accordance with the attached **SAMPLE INSURANCE CERTIFICATE**. The required Insurance Certificate must be submitted to the Purchasing Department within five (5) business days of a verbal/ electronic request. The bid cannot be completely awarded without this Insurance Certificate. The Insurance Certificate may be faxed **(248) 619-7608** to the City Offices, and is the only bid document accepted in this format.

(4)	We can meet the specified insurance requirements.		
()	We cannot meet the specified insurance requirements.		
()	We do not carry the specified limits but can obtain the additional insurance coverage of at the cost of \$ Note: Please note the amendments on a sample insurance certificate and attach it to your bid proposal.		
()	Our bid proposal is reduced by \$ if we lower the requirements to \$ Note: Please note the amendments on a sample insurance certificate and attach it to your bid proposal.		
DT A NIT:	A Cartificate of Insurance on an ACORD Form showing present coverage or a letter from you		

<u>IMPORTANT</u>: A Certificate of Insurance on an ACORD Form showing present coverage or a letter from your insurance agent or carrier that the insurance to be supplied will meet specifications <u>SHOULD</u> be attached to the bid document at the time of submission of the bid proposal to the Office of the City Clerk.

<u>NOTE</u>: Failure on the part of any bidder to contact his/her insurance carrier to verify that the insurance carried by the bidder meets City of Troy specifications may result in this bid proposal being completed incorrectly.

<u>OTHER</u>: Sole proprietors must execute a certificate of exemption from Worker's Compensation requirements or provide proof of Worker's Compensation Insurance. All coverage shall be with insurance carriers licensed and admitted to do business in Michigan and acceptable to the City of Troy.

Bid Proposal Major Street Pavement Marking Page 9 of 10

<u>INSURANCE VERIFICATION:</u> A bidder shall complete the above portion that details additional costs that may be incurred for specified coverage without purchasing the additional coverage prior to bid submission.

<u>Letter Verification:</u> The recommended bidder will be notified to submit a letter from the *insurance agent or carrier* that the insurance to be supplied will meet specifications. As an alternative, the recommended bidder may submit the certificate of insurance meeting specifications at this time at his/ her option. *The City must receive this letter or certificate <u>within 5 business days</u> after verbal / electronic notification has been delivered to the recommended bidder or the bidder will be considered non-responsive and the bid unawardable. This process will occur before presentation of the award recommendation to the Troy City Council.*

Final Insurance Certificate Submission: After approval by Troy City Council, the City of Troy will provide verbal/electronic notification to submit within 5 business days an insurance certificate in accordance with specifications. The City of Troy reserves the right to WITHHOLD AND KEEP any bid surety for failure to comply. The company will be considered in default of contract and will be barred from doing business with the City of Troy for a minimum of three (3) years for failing to meet insurance requirements.

COMPANY NAME: P.K. CONTRACTING INC.

Bid Proposal Major Street Pavement Marking Page 10 of 10

SIGNATURE PAGE

PRICES: All bidders are held to bid prices for 60 days or bid award, whichever comes first, except the successful bidder whose prices shall remain firm for the entire contract period. The contract shall commence on the date of award and expire **June 30, 2017.**

The contract may be renewed for one (1) additional year through mutual consent of both parties within 90 days prior to contract expiration. This is a potential three (3) year contract. Both parties must agree to renew the contract under the same terms, conditions, and at Year 2 prices.

The renewal is subject to a favorable market survey and City Council approval. A request by City staff to determine the successful bidder's interest in renewing the contract in no way obligates the City. The option cannot be exercised without Troy City Council approval and a blanket purchase order issued.

The state of the s				
SIGNATURE OF AUTHORIZED COMPANY REPRESENTATIVE:				
NOTE: The undersigned also has checked carefully the bid figures and understands that he shall be responsible for any error or omission in this bid offer and is in receipt of all addenda as issued.				
TAX ID: 38-2313864				
COMPANY P.H. CONTRACTING, INC				
ADDRESS 1945 BARRETT DR CITY TROY STATE/ZIP MI 48084				
TELEPHONE NUMBER 248 362 4969				
REPRESENTATIVES NAME ADEN SHEA				
SIGNATURE OF AUTHORIZED COMPANY REPRESENTATIVE:				
PAYMENT TERMS: NET 30 CHECK INCLUDED: YES				
WARRANTY: MANUFACTURER EMAIL: aden@ Thecontracting :com				
EXCEPTIONS: Any exceptions, substitutions, deviations, etc. from the City specifications and this proposal must be stated below. The reasons for the exception, deviation, etc. are an integral part of this bid offer.				
ACKNOWLEDGEMENT:				
I,, certify that I have read the <i>Instructions to Bidders</i> (2 Pages) and that the bid proposal documents contained herein were obtained directly from the City's Purchasing Department or MITN website, <u>www.mitn.info</u> and is an official copy of the Authorized Version.				
SIGNATURE OF AUTHORIZED COMPANY REPRESENTATIVE:				
MPORTANT: All City of Troy purchases require a MATERIAL SAFETY DATA SHEET, where applicable, in compliance with the MIOSHA "Right to Know Law."				
IOTE: The City of Troy, at their discretion, may require the bidder(s) to supply a Financial Report from an				

<u>U.S. FUNDS</u>: All prices quoted are to be in U.S. Currency. G://Bid Documents11-12 /ITB-COT 15-08 Pavement Marking Program/ ITB-COT15-08 Pavement Marking Program.doc

impartial Financial Credit Reporting Service before award of contract.



CITY OF TROY MAJOR STREET PAVEMENT MARKING GENERAL CONDITIONS

The City of Troy Streets Division will be accepting bids for painting of longitudinal pavement markings. The attached detail of locations, measurements and specifications are to describe the requirement for pavement marking application.

PROGRESS SCHEDULE

The successful contractor shall begin work after receipt of the Purchase Order that shall commit the successful bidder to perform the contract in accordance with all provisions in the Bid Proposal including all specifications. The purchase order will be issued upon receipt of all specified documents including acceptable insurance certificate(s) and bonds.

The start date for year **2015**, and any year thereafter, shall be no earlier than **May 1st**. The contract shall be completed on or before June 30th of each year.

The Project Manager or the City designated representative will arrange a pre-construction meeting between the successful contractor and those parties deemed necessary to work out a detailed project schedule. This meeting will be held immediately upon the City's acceptance of the contractor's insurance and bonds as being in compliance with the specifications.

The Progress Schedule shall include, as a minimum, the starting and completion dates for major items, as well as, the final project completion date specified in the Bid Proposal.

Failure on the part of the contractor to carry out the provisions of the Progress Schedule, as established, may be considered sufficient cause to prevent bidding future projects until a satisfactory rate of progress is again established.

The starting date, contract time, or days to complete this project may be adjusted by the Streets Division without imposing liquidated damages upon the contractor when that City representative is in receipt of satisfactory documented evidence that unforeseen delayed delivery of critical materials will prevent the orderly execution of the work.



CITY OF TROY MAJOR STREET PAVEMENT MARKING TRAFFIC MAINTENANCE SPECIFICATIONS

GENERAL

Traffic shall be maintained throughout the project in accordance with the 2012 Standard Specifications for Construction including any supplemental specifications, and as herein specified.

The contractor shall coordinate this work with other contractors performing work within common or adjoining areas, so as to avoid conflicts in maintaining traffic operations, signing, and the hindrance of the orderly progress of individual contract work.

CONSTRUCTION INFLUENCE AREA (CIA)

The CIA shall include the right-of-way of all roads scheduled under the terms of this contract for application of pavement markings.

TRAFFIC RESTRICTIONS

Application of pavement markings will only be allowed during daylight hours and by approval of the designated City Representative. The work shall be suspended during the time traffic is being unduly hampered or delayed by the work in progress as determined by the designated City Representative. The paint machine shall at all times occupy the travel lane adjacent to the marking being applied.

TRAFFIC CONTROL DEVICES

All traffic control devices and their usage shall be in accordance with the requirements in the 2000 Michigan Manual of Uniform Traffic Control Devices (MMUTCD) and as specified in the plans and/or the proposal. The cost of traffic control devices and their implementation shall be incidental to the project.



CITY OF TROY MAJOR STREET PAVEMENT MARKING MOBILIZATION FOR OVERLAY STRIPING SPECIFICATIONS

Description

This item shall consist of preparatory work and operations including, but not limited to, those necessary for mobilization for overlay striping. These items are the movement of personnel, equipment, supplies and incidentals to the overlay site. All expenses incurred, prior to beginning work on the various contract items for the project shall be all-inclusive.

The contractor must mobilize sufficient forces within five (5) working days of notification to perform centerline and/or edge line striping on various roads in the city, which were recently overlayed (partial or full overlays).

Layout Work

All layout work for the location and placement of pavement markings shall be the responsibility of the designated City representative.

Work Magnitude

The amount of striping to be performed upon each mobilization may vary. There will be a number of various locations requiring varying types and length of striping. The contractor will not be notified unless a minimum of 2,000 LFT of striping is necessary. At the time of notification, the contractor will be provided with a list of locations and estimated lengths of striping required.

<u>Application of Markings</u>

Markings shall be applied per the City of Troy, Streets Division, and Specifications for Pavement Marking Applications.

Measurement and Payment

Upon completion of assigned striping requirements, the completed work will be paid for at the contract unit prices listed on the bid proposal.



CITY OF TROY MAJOR STREET PAVEMENT MARKING PAVEMENT MARKING APPLICATION SPECIFICATIONS

DESCRIPTION

This work covers the furnishing and application of the Sprayable Thermoplastic pavement markings as per 2012 MDOT plans and specifications, the Michigan Manual of Uniform Traffic Control Devices, the proposal and/or the plans.

Materials

Section 920 of the 2012 "MDOT Standard Specifications for Construction" and the following special provisions contained herein shall apply.

The materials used shall meet the Oakland County Road Commission's current minimum specification requirements for Sprayable Thermoplastic marking materials.

Requirements for testing are not waived and the materials will be accepted for quality on the basis of a written certification from the supplier or contractor that the materials meet specification requirements. The right is reserved to make check tests of materials as may be deemed necessary and a confirmed pattern on non-compliance width specifications will be grounds for cancellation of certification privileges. Test results shall be supplied to the City of Troy within thirty (30) days of the start of work on this project. Sprayable Thermoplastic marking materials certification shall note that materials used are consistent with the materials approved by the Oakland County Road Commission.

SPRAYABLE THERMOPLASTIC

Sprayable Thermoplastic material and glass beads shall be sprayed uniformly at a thickness of no less than 40 mils. Since subsurface moisture can be present in amounts sufficient to affect proper bonding of the Sprayable Thermoplastic material, the contractor shall be responsible for insuring that the pavement is free of all excess moisture that may effect proper bonding prior to beginning work. All testing for moisture shall be documented and provided to the Designated City representative. The minimum ambient air and surface temperature shall be 50° F and rising at the start of marking operations. If work is started and the air temperature falls below 50° F and continual cooling is indicated, all work shall be stopped. Pavement marking material shall not be placed before May 1st or after June 30th.

Major Street Pavement Marking Pavement Marking Application Specifications Page 2 of 7

SPRAYABLE THERMOPLASTIC - continued

Materials supplied under this proposal shall meet the requirements of AASHTO M-249 and specifications of Section 920: Permanent Pavement Markings of the MDOT 2012 Standard Specifications for Construction as applicable. The type, gradation, and application rates for glass beads used with sprayable thermoplastic marking material must meet the thermoplastic manufacturer's recommendation. The thermoplastic material shall be homogenously composed of pigment, filler, resins and glass reflectorizing spheres. The thermoplastic material shall be available in both yellow and white and the resin shall be alkyd.

Equipment

The pavement marking equipment shall be truck mounted and capable of applying three (3) yellow 4-inch minimum width centerline or two (2) white 4-inch minimum width lines or one (1) white 5-inch minimum width edge line in one pass of the equipment. The equipment shall have sufficient paint and bead capacity to enable sustained pavement-marking operations and shall be equipped so as to assure uniform application of the paint and beads.

The equipment shall have pressurized bead dispensers. In general, the equipment shall be that necessary to accomplish the marking in a safe and efficient manner. The Streets Division reserves the right to inspect the bidder's equipment before making an award of contract.

The paint truck shall be equipped with electronic measuring devices to measure the actual number of linear footage applied, both white and yellow. Each paint gun shall have a separate measuring device. The contractor shall use an accurate dashing mechanism, capable of being easily adjusted, to retrace existing lane or centerline markings as specified in the plans or as directed by the designated City representative.

The contractor shall equip the pavement-marking machine with a method of measuring the flow rate of the material to the applied line. Flowmeter, graduated tanks, or other method approved by the designated City representative is acceptable for measuring flow rate. The designated City representative may check calibration of any metering device at the City of Troy's discretion.

All vehicles used in the marking operation in traffic shall be equipped with rotating or oscillating flashers which are visible from both the front and rear of the vehicle and an illuminated target arrow, capable of being visible from either the front or rear of the vehicle.

Major Street Pavement Marking Favement Marking Application Specifications Page 3 of 7

Removal

When specified, existing pavement markings on old pavement or curing compound on new concrete shall be removed. The material shall be removed by methods meeting the approval of the Designated City representative and cause as little damage as possible to the surface texture of the pavement. Methods, which can provide acceptable results, are grinding, and air or shot blasting. Collected residue generated by the removal of pavement markings and curing compound must be disposed of properly.

The Contractor will not be allowed to use paint or bituminous bond coat to obliterate existing pavement markings. When special markings are removed (i.e., legends, symbols, arrows, crosswalks, and stop bars, etc.), the new markings shall be installed within five (5) working days of removal.

SPRAYABLE THERMOPLASTIC

When removing cold plastic, the removed material must be collected and disposed of properly.

Material deposited on the pavement as a result of removal shall be removed as the work progresses. Accumulation of material, which might interfere with drainage or might constitute a hazard to traffic, will not be permitted.

Where blast cleaning is used for the removal and such removal operation is being performed within 10 feet of a lane occupied by public traffic, the residue, including dust, shall be collected immediately after contact between the abrasive and the surface being treated. Collection shall be by a vacuum attachment operating concurrently with the blast cleaning operation, or by other equally effective methods meeting the approval of the Designated City Representative.

CONSTRUCTION METHODS

<u>General</u> - Pavement markings shall be Sprayable Thermoplastic marking materials applied on bituminous or concrete surfaces. Markings shall be either white or yellow in the lengths and widths specified in this proposal or as directed by the designated City representative. Typical pavement marking lane line applications are illustrated in Part III of the Michigan Manual of Uniform Traffic Control Devices.

Broken Line – Broken line of white color shall be applied as a 4-inch wide line on a cycle of 12-½ foot segment and 37-½ foot gap. The paint shall be applied uniformly at a minimum rate of 4 gallons of paint per mile of broken line.

Major Street Pavement Marking Pavement Marking Application Specifications Page 4 of 7

CONSTRUCTION METHODS - continued

Short Skip Lane – Broken line of white color shall be applied as a 4-inch wide line on a cycle of 2-foot segment and 4 foot gap. The paint shall be applied uniformly at a minimum rate of 5.3 gallons of paint per mile of broken line.

<u>Solid Line</u> – Solid line of the color specified shall be applied as a solid 4-inch wide line. The paint shall be applied uniformly at a minimum rate of sixteen (16) gallons per mile of solid line.

Passing Lane Flares and Full Lane Width Driveway Approaches – All driveway approaches which utilize full lane width deceleration lanes (over 10 feet wide) and passing lane flares with a full lane width (over 10 feet wide) length of less than 400 feet shall be delineated with white short skip line placed to separate the through lane and widening lane.

<u>Double Line</u> - Double line of the color specified shall be applied as two (2) solid lines or one (1) solid and one (1) broken line, each 4 inches wide, separated by 1 to 6 inch space. The paint shall be applied uniformly at a minimum rate of thirty-two (32) gallons per mile of double line or twenty (20) gallons per mile of one solid and one broken line. Edge Line – Solid line of white color shall be applied as a solid 5-inch wide line. The paint shall be applied uniformly at a minimum rate of twenty (20) gallons per mile of solid line.

Stop Lines – Stop lines are solid white lines 24 inches wide, extending across all approach lanes. Stop lines, where used, should ordinarily be placed four feet in advance of and parallel to the nearest crosswalk line. In the absence of a marked crosswalk, the stop line should be placed at the desired stopping point, in no case more than 30 feet or less than four feet from the nearest edge of the intersecting roadway. If a stop line is used in conjunction with a STOP sign, it should ordinarily be placed in line with the STOP sign. However, if the sign cannot be located exactly where vehicles are expected to stop, the stop line should be placed at the stopping point.

<u>Crosswalks and Crosswalk lines</u> - Crosswalk lines shall be solid white lines, Crosswalk shall be marked with white longitudinal lines at a 90 degree angle. These lines should be approximately 24 inches wide and spaced 24 inches apart.

APPLICATION METHODS

<u>General</u> – Markings shall be applied according to section 811 of the 2012 MDOT Standard Specifications for Highway Construction.

<u>Surface Preparation</u> – Prior to the application of pavement markings, it is the contractor's responsibility to notify the designated City representative if any additional pavement cleaning is needed. The Streets Division will adequately clean the pavement before painting.

Major Street Pavement Marking
Pavement Marking Application Specifications

APPLICATION METHODS – continued

<u>Loading Paint Machine</u> – The paint and beads shall be loaded on the paint machine in a manner that will not interfere nor delay traffic.

<u>Layout for Marking</u> — All layout work necessary for the location and placing of pavement markings shall be the responsibility of the designated City representative.

Tolerances

New markings shall be applied as specified. Unless otherwise directed, existing line markings should be retraced with lines of equal length, allowing for a longitudinal tolerance of one (1) foot and a transverse tolerance of two (2) inches. The width of line applied shall be the width specified plus or minus one-quarter inch. Applied markings shall be sharp, well defined, provide uniform retroflectivity, be free of uneven edges, over spray or other readily visible defects which, in the opinion of the designated City representative, detract from the appearance or function of the pavement markings.

Markings that are improperly located shall be corrected. Improperly located markings shall be removed at the contractor's expense, in a manner acceptable to the designated City representative, and reapplied in the correct locations at the contractor's expense.

Markings which are applied with material shortages exceeding six (6) percent of the specified application rates shall be properly reapplied at the contractor's expense or be subject to acceptance with applied deduction as provided in Deduction for Material Deficiencies.

Weather and Seasonal Limitations

Markings shall not be applied when the surface to be painted is damp.

No markings shall be applied when the surface temperature is less than 50°F. The contractor shall be responsible for making the decision to apply sprayable thermoplastic paint on any specific day

<u>Placement and Protection of Pavement Markings</u> - If markings are applied when the roadway is open to traffic, the following requirements shall apply:

Traffic shall be allowed to keep moving at all times and the striping equipment shall be operated in a manner that will not make it necessary for traffic to cross the uncured markings.

On a two lane two-way roadway, the contractor will not be allowed to apply the centerline(s) and edge line in one pass.

Major Street Pavement Marking
Pavement Marking Application Specifications
Page 6 of 7

APPLICATION METHODS – continued

The protection of the wet paint shall be the responsibility of the contractor. The contractor shall furnish a pavement marking convoy consisting of a minimum of three moving vehicles, spaced and equipped in order to provide adequate traffic control and protection for the uncured markings. Markings obliterated by traffic shall be retraced at the contractor's expense.

If markings are applied when roadway is closed to traffic, the three vehicle pavement marking convoy is not required.

MEASUREMENT AND PAYMENT

Measurement and payment for the application of sprayable thermoplastic pavement markings is based on the number of lineal feet of 4-inch or 5-inch wide line actually placed. The gaps in broken lines are not included in the measurement.

The contractor shall cooperate with the designated City representative in providing these measurements whenever requested. The glass bead application rate will be determined by dividing the total pounds of glass used by the total gallons of paint applied.

The designated City representative at the end of each day's work will compute the quantity of pavement marking material and of glass beads applied per unit of measurement.

A day when the applied mileage is less than ten (10) miles of edge lines, centerlines, lane lines or channeling lines may be included in the next day's applied markings for the purpose of computing marking materials and beads application amounts.

<u>Deduction for Material Deficiencies</u>

A daily tolerance of six (6) percent for material shortages shall be permissible without deductions. Any determination of pay deduction resulting from shortages in marking materials or glass beads shall be based on measurements obtained under <u>Measurement and Payment</u>. If the six (6) percent tolerance has been exceeded on material shortages, the markings shall be reapplied at the contractor's expense or the contract unit price will be reduced in direct proportion to the greatest deficiency up to a maximum of 15 percent. The designated City representative will determine the option.

If the deficiency of any material is more than 15 percent, the day's work shall be considered unsatisfactory and shall be reapplied at the full expense to the contractor, including all labor, equipment, and material requirements.

Major Street Pavement Marking
Pavement Marking Application Specifications
Page 7 of 7

Any reapplied markings shall be applied at the minimum gallons per mile rate described in Construction Methods.

Fayment for accepted quantities complete and in place will be made at contract unit prices, or prices adjusted as described herein. Payment shall be full compensation for all materials, labor, incidentals, and equipment necessary for placement of the fast-dry marking material.

FINAL ACCEPTANCE

Final acceptance of approved completed markings shall be 90 days after completion of all original work.

Unacceptable markings shall be reapplied with markings conforming to these specifications and requirements to the extent determined by the designated City representative at the contractor's expense.



Legal Status of Bidder:

A corporation duly organized and doing business under the laws of the State of Michigal	for whon , whose
signature is affixed to this proposal, is duly authorized to execute contracts.	, wilose
A partnership all members of obtain with address in	
A partnership, all members of which, with addresses, is:	
	-
AN INDIVIDUAL, WHOSE SIGNATURE IS AFFEIXED TO THE PROPOSAL:	



CITY OF TROY OAKLAND COUNTY, MICHIGAN NON-COLLUSION AFFIDAVIT

TO WHOM IT MAY CONCERN:		
ADEA SHEA (Print Full Name)	_, being duly sworn deposed, says that he	
is VICE TRESIDENT. The p (State Official Capacity in Firm)	earty making the foregoing proposal or bid,	
that such bid is genuine and not collusion or sham; that said bidder has not colluded, conspired, connived, or agree, directly or indirectly, with any bidder or person, to put in a sham bid or to refrain from bidding and has not in any manner directly or indirectly sought by agreement or collusion, or communication or conference, with any person to fix the bid price or affiant or any other bidder, or to fix any overhead, profit, or cost element of said bid price, or that of any other bidder, or to secure the advantage against the City of Troy or any person interested in the proposed contract; and that all statements contained in said proposal or bid are true.		
	SIGNATURE OF PERSON SUBMITTING BID	
	Kouly Braidwette NOTARY'S SIGNATURE	
	Subscribed and sworn to before me this 26th day of	
	My commission expires:	

Karen Bissonette Notary Public, Macomb County, Mi My Commission Expires 05/07/18 Acting in Oakland County



City of Troy Oakland County, Michigan Contract Form

ARTIC	CLES OF AGREEMENT, made and entered into t	his day of	
20	by and between(Name)	_ of	
	(Name)	(City and State)	
herein	after called the Contractor and the City of Troy, T	Froy, Michigan hereinafter called the Owner,	
WITN	ESSETH, that the Contractor and the Owner for the	ne considerations hereinafter named, agree as follows:	
1.	That all Contract Documents, as defined in attached or herein referred to shall be and are herein referred to shall be also shall be also shall be and are herein referred to shall be and are herein referred to shall be also shall	the "General Conditions" and "Specifications"hereto nereby made a part of the agreement and contract.	
2.	The Contractor shall, under penalty of bonds submitted, furnish all labor, materials, and equipment necessary and perform all of the work as set forth in his Proposal in strict accordance with the specifications and other documents which have been made a part of this contract in the manner, time, and place as therein set forth.		
3 .	In consideration whereof, the Owner agrees to pay to the Contractor the amounts provided in the attached Proposal, being the product of the unit prices therein set forth, multiplied by the number of units actually constructed, all in the time and manner as set forth in the Contract Documents.		
4.	IN WITNESS whereof said parties have hereu above written.	nto set their hands and seals, the day and year first	
WITNE 1.	ESS:		
1.		(Contractor)	
2.			
APPRO	OVED: BY:(Mayor)	(Title)	
City Ma	anager or Designee	CITY OF TROY (Owner)	
RESOL	LUTION NUMER:		
	OVED AS TO FORM AND LEGALITY:		
City Att		ATTEST:	
City Att	omey	(City Clerk)	

Consent of Surety To Final Payment

AIA DOCUMENT G707

TO OWNER:	City of Troy	ARCHITECT'S PROJECT NO:						
(A) 0 A del	500 M4 Di- D							
(Name & Address)	500 West Big Beaver Troy, MI 48084	CONTRACT FOR						
	110y, Wil 40004	CONTRACT FOR:						
PROJECT:								
(Name & Address)								
								
		CONTRACT DATED:						
BOND NO:		_ _						
BOND NO.	_							
In accordance w	ith the provisions of the							
iii accordance w	iui tile provisions of the	Contract between the Owner and the Contactor as included above, the						
	(In:	sert Name and Address of Surety)						
CUDETY on how	-d -£							
SUKETT, OH DOI	nd of	sert Name and Address of Contractor)						
	(1116	bert Maine and Address of Contractor)						
		, CONTRACTOR,						
haraby annual co	_£45_ # 1	·· ·····						
nereby approves	of the final payment to t	he Contractor, and agrees that final payment to the Contractor shall						
not relieve the Su	rety of any of its obligat	ions to:						
not relieve the Surety of any of its obligations to: (Insert Name and address of Owner)								
		, OWNER,						
as set forth in the	said Surety's bond.							
INDAUTNECCIAU	IEDEOE II. O							
IN WITNESS WE	EREOF, the Surety has	hereunto set its hand on this date: (Insert in writing the month by the numeric date & year)						
A C		thisen in which the month by the numeric date & year)						
Attest:								
(Seal)		(Surety)						
		(Signature of authorized representative)						
		(Printed Names & Title)						

Printed in cooperation with the American Institute of Architects (AIA) by the CAN Insurance Companies. The language in this document conforms exactly to the language used in AIA Document G707 – Consent of Surety Company to Final Payment – 1994 Edition.



CERTIFICATE OF LIABILITY INSURANCE

DATE (MM/DD/YYYY) 12/30/2014

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

IMPORTANT: If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must be endorsed. If SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).

Certificate noider in field of st	ich endorsement(s).		•
PRODUCER		CONTACT Gayle Botner	
Valenti Trobec Chand		PHONE (248) 828-3377	FAX (A/C, No); (248) 828-3741
1175 W. Long Lake, S	Suite 200	E-MAIL ADDRESS: gbotner@vtcins.com	Aic, voj,
Troy, MI 48098		INSURER(S) AFFORDING COVERAGE	
INSURED		INSURERA: Charter Oak Fire Insur	ance 25615
		INSURER B: Travelers	
P. K. Contrac	ting, Inc.	INSURER C:	
1965 Barrett	24	INSURER D :	
Troy, MI 480	84-5372	INSURER E :	
	· · · · · · · · · · · · · · · · · · ·	INSURER F:	
COVERAGES	CERTIFICATE NUMBER-14-15 DK	Magter	

THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMIT'S SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

INSI LTF	TYPE OF INSURANCE	ADDL	SUBF	LIMITS SHOWN MAY HAVE BEEN	POLICY EFF	POLICY EXP			
15.0	GENERAL LIABILITY	INSR	WVD	POLICY NUMBER	(MM/DD/YYYY	MMZDD/YYYY)	LIMI	TS	
	X COMMERCIAL GENERAL LIABILITY						EACH OCCURRENCE DAMAGE TO RENTED	\$	1,000,000
A	CLAIMS-MADE X OCCUR	x	1	CO324P3222COF	12/31/2014	12/31/2015	PREMISES (Ea occurrence)	\$	300,000
	X Contractual Liability	**		00524F322200F	, 52, 2513	22, 31, 2013	MED EXP (Any one person)	\$	10,000
1	Contractual manifety						PERSONAL & ADV INJURY	\$	1,000,000
			ĺ				GENERAL AGGREGATE	\$	2,000,000
	GEN'L AGGREGATE LIMIT APPLIES PER: POLICY X PRO-						PRODUCTS - COMP/OP AGG	\$	2,000,000
\vdash						<u> </u>		\$	
	AUTOMOBILE LIABILITY						COMBINED SINGLE LIMIT (Ea accident)	\$	1,000,000
A	ANY AUTO ALL OWNED SCHEDULED	ľ			12/31/2014	12/31/2015	BODILY INJURY (Per person)	\$	
1	AUTOS AUTOS			810324P3222COF			BODILY INJURY (Per accident)	\$	
	X HIRED AUTOS X NON-OWNED AUTOS						PROPERTY DAMAGE (Per accident)	\$	1,000
<u> </u>	X UMBRELLA LIAB X OCCUP		_				Underinsured motorist BI single	\$	included
I _	EXCESS LIAB						EACH OCCURRENCE	\$	20,000,000
В	CLAIMS-MADE		l		10/01/05/	[AGGREGATE	\$	20,000,000
B	DED X RETENTION \$ 10,000 WORKERS COMPENSATION		[CUP324P3222IND	12/31/2014	12/31/2015		\$	-
] ~	AND EMPLOYERS LIABILITY ANY PROPRIETOR/PARTNER/EXECUTIVE OFFICER/MEMBER EXCLUDED? (Mandatory in NH) If yes, describs under DESCRIPTION OF OPERATIONS below		ľ				X WC STATU- OTH- TORY LIMITS ER		
ľ			L	HUB611x6637	12/31/2014	12/31/2015	E.L. EACH ACCIDENT	\$	500,000
							E.L. DISEASE - EA EMPLOYER	\$	500,000
Ь—							E.L. DISEASE - POLICY LIMIT	\$	500,000
В	B Leased/Rented Equipment		ķ	QT660813 x 9133	12/31/2014		\$150,000 Limit		
	į								
DECO	NOTICE OF COURSE	Ĺ		<u> </u>	<u></u> i				
DESC	DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (Attach ACORD 101, Additional Remarks Schedule, if more space is required)								

DESCRIPTION OF OPERATIONS/LOCATIONS/VEHICLES (Attach ACORD 101, Additional Remarks Schedule, if more space is required)
Project: City of Troy Street Pavement Markings. City of Troy is included as Additional Insured as respects General Liability as their interests may appear as required by written contract.

CERTIFICATE HOLDER	CANCELLATION					
(248) 524-3328	SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFOR	E				
City of Troy 500 W. Big Beaver	THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED I ACCORDANCE WITH THE POLICY PROVISIONS.	I THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN				
Troy, MI 48084	AUTHORIZED REPRESENTATIVE	\neg				
ACOPP OF (Oxform)	Alan Chandler/V45 Alan P. Changa	_				

ACORD 25 (2010/05)

© 1988-2010 ACORD CORPORATION. All rights reserved.



RICK SNYDER GOVERNOR KIRK T. STEUDLE DIRECTOR

June 20, 2013

P.K. Contracting, Inc. 1965 Barrett Dr Troy MI 48084-5372 01684

(248) 362-2130

Dear Vendor:

In accordance with our Administrative Rules we have established your numerical rating which is based on a financial rating of \$101,738,000.00, covering the classifications in the amounts stated below. This prequalification rating is effective until April 30, 2015.

101738 N3 - Pavement Marking 1000 N93D - Grinding And Grooving 101738 N96I - Raised Pavement Markers

It will be assumed that the rating is satisfactory unless the Prequalification Committee is notified in writing to the contrary within 15 days after the bidder has been advised of the rating granted. The Department, may declare a prequalified bidder ineligible to bid at any time because of developments subsequent to prequalification which, in their opinion, would affect the responsibility of the bidder or their ability to perform the contract work.

Jill D. Mullins
Manager
Construction Contracts Section
Contract Services Division